SANITARY SOLUTIONS INC.

*Bulldog Fittings/Valves...Bulldog Tough.*

# Sanitary Solutions I-Line Fittings

**Sanitary Solutions I-Line various Fittings are:**

**I-Line Fittings Stocking Alloys: T304 or T316L**

**I-Line Fittings Sizes: 1” – 8” OD Tube**

**Note: OD Tube and Pipe Sizes do not interchange!**

**I-Line Fittings Sanitary Finish: 180 Grit Polish**

A® 3 63-03

**Sanitary Solutions Clamp Fittings Part Number Breakdown:**

| SS | Part Number | Size | Alloy |
|---|---|---|---|
| Sanitary Solutions | 14WI | 2” | 304 or 316L |
| | I = I-Line | | |

**www.sanitarysolutions.com**

Sanitary Solutions Inc. 1-888-909-3569 or 1-855-640-7871

Prices are subject to change without notice; please call before you quote

| SS2CI--- 90° Elbow with *Female I-Line Ferrules on Both Ends*, Polish ID/OD | | | | |
|---|---|---|---|---|
| Tube OD (Size) | A | Weight | Part Number 304 | Part Number 316L |
| 1" | 2.281 | 0.33 | SS2CI-1-304 | SS2CI-1-316L |
| 1.5" | 3.188 | 0.49 | SS2CI-1.5-304 | SS2CI-1.5-316L |
| 2" | 4.031 | 0.82 | SS2CI-2-304 | SS2CI-2-316L |
| 2.5" | 4.906 | 1.47 | SS2CI-2.5-304 | SS2CI-2.5-316L |
| 3" | 5.718 | 2.33 | SS2CI-3-304 | SS2CI-3-316L |
| 4" | 7.344 | 3.85 | SS2CI-4-304 | SS2CI-4-316L |
| 6" | 10.13 | 11.33 | SS2CI-6-304 | SS2CI-6-316L |
| 8" | 13.13 | 19.25 | SS2CI-8-304 | SS2CI-8-316L |

| SS2EI--- 90° Elbow with *Male I-Line Ferrules on Both Ends*, Polish ID/OD | | | | |
|---|---|---|---|---|
| Tube OD (Size) | A | Weight | Part Number 304 | Part Number 316L |
| 1" | 2.093 | 0.33 | SS2EI-1-304 | SS2EI-1-316L |
| 1.5" | 3.000 | 0.49 | SS2EI-1.5-304 | SS2EI-1.5-316L |
| 2" | 3.781 | 0.82 | SS2EI-2-304 | SS2EI-2-316L |
| 2.5" | 4.593 | 1.47 | SS2EI-2.5-304 | SS2EI-2.5-316L |
| 3" | 5.406 | 2.33 | SS2EI-3-304 | SS2EI-3-316L |
| 4" | 7.031 | 3.85 | SS2EI-4-304 | SS2EI-4-316L |
| 6" | 9.940 | 11.33 | SS2EI-6-304 | SS2EI-6-316L |
| 8" | 12.94 | 19.25 | SS2EI-8-304 | SS2EI-8-316L |

| SS2FI--- 90° Elbow with *Male I-Line x Female I-Line on Each End*, Polish ID/OD | | | | | |
|---|---|---|---|---|---|
| Tube OD (Size) | A | B | Weight | Part Number 304 | Part Number 316L |
| 1" | 2.281 | 2.093 | 0.33 | SS2FI-1-304 | SS2FI-1-316L |
| 1.5" | 3.188 | 3.000 | 0.49 | SS2FI-1.5-304 | SS2FI-1.5-316L |
| 2" | 4.031 | 3.781 | 0.82 | SS2FI-2-304 | SS2FI-2-316L |
| 2.5" | 4.906 | 4.593 | 1.47 | SS2FI-2.5-304 | SS2FI-2.5-316L |
| 3" | 5.718 | 5.406 | 2.33 | SS2FI-3-304 | SS2FI-3-316L |
| 4" | 7.344 | 7.031 | 3.85 | SS2FI-4-304 | SS2FI-4-316L |
| 6" | 10.13 | 9.940 | 11.33 | SS2FI-6-304 | SS2FI-6-316L |
| 8" | 13.13 | 12.94 | 19.25 | SS2FI-8-304 | SS2FI-8-316L |




| SS13ILCH---Heavy Weight *I-Line* Clamp, 304 | | | | | |
|---|---|---|---|---|---|
| Tube OD (Size) | A | Weight | SPR @ 70° F * | SPR @ 250° F * | Part Number 304 |
| 1"-- 1.5" | 2.122 | 0.75 | 700 | 250 | SS13ILCH-1-1.5-304 |
| 2" | 2.654 | 1.10 | 450 | 250 | SS13ILCH-2-304 |
| 2.5" | 3.185 | 1.20 | 450 | 200 | SS13ILCH-2.5-304 |
| 3" | 3.717 | 1.50 | 350 | 150 | SS13ILCH-3-304 |
| 4" | 4.820 | 1.60 | 200 | 125 | SS13ILCH-4-304 |
| ** Tighten Wing Nut to 25 in. lb. of torque* | | | | | |

| SS13ILB---Heavy Weight *I-Line Bolted* Clamp, 304 | | | | | |
|---|---|---|---|---|---|
| Tube OD (Size) | A | Weight | SPR @ 70° F * | SPR @ 250° F * | Part Number 304 |
| 1"-- 1.5" | 2.122 | 1.200 | 1220 | 1100 | SS13ILBH-1-1.5-304 |
| 2" | 2.654 | 1.600 | 900 | 830 | SS13ILBH-2-304 |
| 2.5" | 3.185 | 2.200 | 720 | 660 | SS13ILBH-2.5-304 |
| 3" | 3.717 | 3.000 | 600 | 550 | SS13ILBH-3-304 |
| 4" | 4.820 | 4.250 | 570 | 525 | SS13ILBH-4-304 |
| ** Tighten Nut to 20 ft. lbs. of torque* | | | | | |

| SS13ILBH---Heavy Weight *I-Line Bolted* Clamp, 304 | | | | | | |
|---|---|---|---|---|---|---|
| Tube OD (Size) | A | Weight | SPR @ 70° F * | SPR @ 250° F * | Part Number 304 | |
| 6" | 7.695 | 5.500 | 300 | 200 | SS13ILBH-6-304 | *NEW!* |
| 8" | 9.695 | 6.000 | 250 | 150 | SS13ILBH-8-304 | *NEW!* |
| ** Tighten Nut to 20 ft. lbs. of torque* | | | | | | |

| SS14WI--- Male I-Line *Short* Weld Ferrule | | | | |
|---|---|---|---|---|
| Tube OD (Size) | A | Weight | Part Number 304 | Part Number 316L |
| 1" | 0.590 | 0.20 | SSI4WI-1-304 | SSI4WI-1-316L |
| 1.5" | 0.765 | 0.20 | SSI4WI-1.5-304 | SSI4WI-1.5-316L |
| 2" | 0.790 | 0.30 | SSI4WI-2-304 | SSI4WI-2-316L |
| 2.5" | 0.848 | 0.60 | SSI4WI-2.5-304 | SSI4WI-2.5-316L |
| 3" | 0.906 | 0.80 | SSI4WI-3-304 | SSI4WI-3-316L |
| 4" | 1.031 | 1.00 | SSI4WI-4-304 | SSI4WI-4-316L |
| 6" | 0.937 | 2.80 | SSI4WI-6-304 | SSI4WI-6-316L |
| 8" | 0.937 | 3.50 | SSI4WI-8-304 | SSI4WI-8-316L |




| SS14WLI--- Male I-Line *Long* Weld Ferrule | | | | |
|---|---|---|---|---|
| Tube OD (Size) | A | Weight | Part Number 304 | Part Number 316L |
| 1" | 1.562 | 0.25 | SSI4WLI-1-304 | SSI4WLI-1-316L |
| 1.5" | 1.843 | 0.25 | SSI4WLI-1.5-304 | SSI4WLI-1.5-316L |
| 2" | 2.062 | 0.41 | SSI4WLI-2-304 | SSI4WLI-2-316L |
| 2.5" | 2.188 | 0.66 | SSI4WLI-2.5-304 | SSI4WLI-2.5-316L |
| 3" | 2.375 | 0.93 | SSI4WLI-3-304 | SSI4WLI-3-316L |
| 4" | 2.687 | 1.15 | SSI4WLI-4-304 | SSI4WLI-4-316L |
| 6" | 2.687 | 3.95 | SSI4WLI-6-304 | SSI4WLI-6-316L |




| SS14WHI--- Male I-Line Heavy Wall Tank Ferrule | | | | |
|---|---|---|---|---|
| Tube OD (Size) | A | | Part Number 304 | Part Number 316L |
| 1" | 1.312 | | SSI4WHI-1-304 | SSI4WHI-1-316L |
| 1.5" | 1.452 | | SSI4WHI-1.5-304 | SSI4WHI-1.5-316L |
| 2" | 1.500 | | SSI4WHI-2-304 | SSI4WHI-2-316L |
| 2.5" | 1.437 | | SSI4WHI-2.5-304 | SSI4WHI-2.5-316L |
| 3" | 1.500 | | SSI4WHI-3-304 | SSI4WHI-3-316L |
| 4" | 1.812 | | SSI4WHI-4-304 | SSI4WHI-4-316L |

| SS15WI--- *Female* I-Line *Short* Weld Ferrule | | | | |
|---|---|---|---|---|
| Tube OD (Size) | A | Weight | Part Number 304 | Part Number 316L |
| 1" | 0.784 | 0.20 | SSI5WI-1-304 | SSI5WI-1-316L |
| 1.5" | 0.948 | 0.20 | SSI5WI-1.5-304 | SSI5WI-1.5-316L |
| 2" | 1.036 | 0.30 | SSI5WI-2-304 | SSI5WI-2-316L |
| 2.5" | 1.156 | 0.60 | SSI5WI-2.5-304 | SSI5WI-2.5-316L |
| 3" | 1.218 | 0.80 | SSI5WI-3-304 | SSI5WI-3-316L |
| 4" | 1.346 | 1.00 | SSI5WI-4-304 | SSI5WI-4-316L |
| 6" | 1.125 | 2.80 | SSI5WI-6-304 | SSI5WI-6-316L |
| 8" | 1.130 | 3.50 | SSI5WI-8-304 | SSI5WI-8-316L |




| SS15WLI--- *Female* I-Line Long Weld Ferrule | | | | |
|---|---|---|---|---|
| Tube OD (Size) | A | Weight | Part Number 304 | Part Number 316L |
| 1" | 1.750 | 0.25 | SSI5WLI-1-304 | SSI5WLI-1-316L |
| 1.5" | 2.032 | 0.25 | SSI5WLI-1.5-304 | SSI5WLI-1.5-316L |
| 2" | 2.312 | 0.41 | SSI5WLI-2-304 | SSI5WLI-2-316L |
| 2.5" | 2.500 | 0.66 | SSI5WLI-2.5-304 | SSI5WLI-2.5-316L |
| 3" | 2.687 | 0.93 | SSI5WLI-3-304 | SSI5WLI-3-316L |
| 4" | 3.000 | 1.15 | SSI5WLI-4-304 | SSI5WLI-4-316L |
| 6" | 3.000 | 3.95 | SSI5WLI-6-304 | SSI5WLI-6-316L |




| SS15WHI--- *Female* I-Line Heavy Wall Tank Ferrule | | | | |
|---|---|---|---|---|
| Tube OD (Size) | A | | Part Number 304 | Part Number 316L |
| 1" | 1.500 | | SSI5WHI-1-304 | SSI5WHI-1-316L |
| 1.5" | 1.625 | | SSI5WHI-1.5-304 | SSI5WHI-1.5-316L |
| 2" | 1.750 | | SSI5WHI-2-304 | SSI5WHI-2-316L |
| 2.5" | 1.750 | | SSI5WHI-2.5-304 | SSI5WHI-2.5-316L |
| 3" | 1.812 | | SSI5WHI-3-304 | SSI5WHI-3-316L |
| 4" | 2.125 | | SSI5WHI-4-304 | SSI5WHI-4-316L |




| SS16AI-14I--- Male I-line Solid End Cap | | | | | |
|---|---|---|---|---|---|
| Tube OD (Size) | A | B | Weight | Part Number 304 | Part Number 316L |
| 1" | 0.500 | 1.985 | 0.10 | SS16AI-14I-1-304 | SS16AI-14I-1-316L |
| 1.5" | 0.500 | 1.985 | 0.10 | SS16AI-14I-1.5-304 | SS16AI-14I-1.5-316L |
| 2" | 0.550 | 2.640 | 0.50 | SS16AI-14I-2-304 | SS16AI-14I-2-316L |
| 2.5" | 0.687 | 3.307 | 1.00 | SS16AI-14I-2.5-304 | SS16AI-14I-2.5-316L |
| 3" | 0.687 | 3.870 | 2.00 | SS16AI-14I-3-304 | SS16AI-14I-3-316L |
| 4" | 0.750 | 4.870 | 3.50 | SS16AI-14I-4-304 | SS16AI-14I-4-316L |
| 6" | 0.750 | 7.495 | 8.00 | SS16AI-14I-6-304 | SS16AI-14I-6-316L |
| 8" | 0.880 | 9.495 | 13.50 | SS16AI-14I-8-304 | SS16AI-14I-8-316L |




| SS16AI-15I---Female I-line Solid End Cap | | | | |
|---|---|---|---|---|
| Tube OD (Size) | A | | Part Number 304 | Part Number 316L |
| 1" | 1.200 | | SS16AI-15I-1-304 | SS16AI-15I-1-316L |
| 1.5" | 1.530 | | SS16AI-15I-1.5-304 | SS16AI-15I-.5-316L |
| 2" | 1.580 | | SS16AI-15I-2-304 | SS16AI-15I-2-316L |
| 2.5" | 1.696 | | SS16AI-15I-2.5-304 | SS16AI-15I-2.5-316L |
| 3" | 1.812 | | SS16AI-15I-3-304 | SS1SS16AI-15I-3-316L |
| 4" | 2.062 | | SS16AI-15I-4-304 | SS16AI-15I-4-316L |




| SS17I-14I-14MP-*Male* I-Line Ferrule x *Clamp* Adapter | | | | 3-A |
|---|---|---|---|---|
| Tube OD (Size) | A | | Part Number 304 | Part Number 316L |
| 1" | 1.093 | | SS17I-14I-14MP-1-304 | SS17I-14I-14MP-1-316L |
| 1.5" | 1.250 | | SS17I-14I-14MP-1.5-304 | SS17I-14I-14MP-1.5-316L |
| 2" | 1.250 | | SS17I-14I-14MP-2-304 | SS17I-14I-14MP-2-316L |
| 2.5" | 1.312 | | SS17I-14I-14MP-2.5-304 | SS17I-14I-14MP-2.5-316L |
| 3" | 1.406 | | SS17I-14I-14MP-3-304 | SS17I-14I-14MP-3-316L |
| 4" | 1.656 | | SS17I-14I-14MP-4-304 | SS17I-14I-14MP-4-316L |




| SS17I-14I-15I-*Male* I-Line Ferrule x *Female* I-Line Ferrule Adapter | | | |
|---|---|---|---|
| Tube OD (Size) | A | Part Number 304 | Part Number 316L |
| 1" | 1.318 | SS17I-14I-15I-1-304 | SS17I-14I-15I-1-316L |
| 1.5" | 1.468 | SS17I-14I-15I-1.5-304 | SS17I-14I-15I-1.5-316L |
| 2" | 1.500 | SS17I-14I-15I-2-304 | SS17I-14I-15I-2-316L |
| 2.5" | 1.688 | SS17I-14I-15I-2.5-304 | SS17I-14I-15I-2.5-316L |
| 3" | 1.812 | SS17I-14I-15I-3-304 | SS17I-14I-15I-3-316L |
| 4" | 2.062 | SS17I-14I-15I-4-304 | SS17I-14I-15I-4-316L |




| SS17I-15I-14MP-*Female I*-Line Ferrule x *Clamp* Adapter | | | |
|---|---|---|---|
| Tube OD (Size) | A | Part Number 304 | Part Number 316L |
| 1" | 1.281 | SS17I-15I-14MP-1-304 | SS17I-15I-14MP-1-316L |
| 1.5" | 1.437 | SS17I-15I-14MP-1.5-304 | SS17I-15I-14MP-1.5-316L |
| 2" | 1.540 | SS17I-15I-14MP-2-304 | SS17I-15I-14MP-2-316L |
| 2.5" | 1.625 | SS17I-15I-14MP-2.5-304 | SS17I-15I-14MP-2.5-316L |
| 3" | 1.718 | SS17I-15I-14MP-3-304 | SS17I-15I-14MP-3-316L |
| 4" | 1.968 | SS17I-15I-14MP-4-304 | SS17I-15I-14MP-4-316L |




| SS17I-15I-15I- *Female* I-Line Ferrule x *Female* I-Line Ferrule Adapter | | | |
|---|---|---|---|
| Tube OD (Size) | A | Part Number 304 | Part Number 316L |
| 1" | 1.562 | SS17I-15I-15I-1-304 | SS17I-15I-15I-1-316L |
| 1.5" | 1.875 | SS17I-15I-15I-1.5-304 | SS17I-15I-15I-1.5-316L |
| 2" | 2.062 | SS17I-15I-15I-2-304 | SS17I-15I-15I-2-316L |
| 2.5" | 2.312 | SS17I-15I-15I-2.5-304 | SS17I-15I-15I-2.5-316L |
| 3" | 2.437 | SS17I-15I-15I-3-304 | SS17I-15I-15I-3-316L |
| 4" | 2.688 | SS17I-15I-15I-4-304 | SS17I-15I-15I-4-316L |




| SS21I-14I-*Male* I-Line Ferrule x (MNPT) Adapter | | | |
|---|---|---|---|
| Tube OD (Size) | A | Part Number 304 | Part Number 316L |
| 1" x 1" | 2.343 | SS21I-14I-1-304 | SS21I-14I-1-316L |
| 1.5" x 1.5" | 2.500 | SS21I-14I-1.5-304 | SS21I-14I-1.5-316L |
| 2" x 2" | 2.593 | SS21I-14I-2-304 | SS21I-14I-2-316L |
| 2.5" x 2.5" | 3.125 | SS21I-14I-2.5-304 | SS21I-14I-2.5-316L |
| 3" x 3" | 3.406 | SS21I-14I-3-304 | SS21I-14I-3-316L |
| 4" x 4" | 3.593 | SS21I-14I-4-304 | SS21I-14I-4-316L |




| SS21I-15I- *Female* I-Line Ferrule x (MNPT) Adapter | | | |
|---|---|---|---|
| Tube OD (Size) | A | Part Number 304 | Part Number 316L |
| 1" x 1" | 2.531 | SS21I-15I-1-304 | SS21I-15I-1-316L |
| 1.5" x 1.5" | 2.688 | SS21I-15I-1.5-304 | SS21I-15I-1.5-316L |
| 2" x 2" | 2.844 | SS21I-15I-2-304 | SS21I-15I-2-316L |
| 2.5" x 2.5" | 3.438 | SS21I-15I-2.5-304 | SS21I-15I-2.5-316L |
| 3" x 3" | 3.719 | SS21I-15I-3-304 | SS21I-15I-3-316L |
| 4" x 4" | 3.906 | SS21I-15I-4-304 | SS21I-15I-4-316L |




| SS22I-14I-*Male* I-Line Ferrule x (FNPT) Adapter | | | |
|---|---|---|---|
| Tube OD (Size) | A | Part Number 304 | Part Number 316L |
| 1" x 1" | 1.688 | SS22I-14I-1-304 | SS22I-14I-1-316L |
| 1.5" x 1.5" | 2.188 | SS22I-14I-1.5-304 | SS22I-14I-1.5-316L |
| 2" x 2" | 2.219 | SS22I-14I-2-304 | SS22I-14I-2-316L |
| 2.5" x 2.5" | 2.438 | SS22I-14I-2.5-304 | SS22I-14I-2.5-316L |
| 3" x 3" | 2.719 | SS22I-14I-3-304 | SS22I-14I-3-316L |
| 4" x 4" | 3.031 | SS22I-14I-4-304 | SS22I-14I-4-316L |




| SS22I-15I- *Female* I-Line Ferrule x (FNPT) Adapter | | | |
|---|---|---|---|
| Tube OD (Size) | A | Part Number 304 | Part Number 316L |
| 1" x 1" | 1.906 | SS22I-15I-1-304 | SS22I-15I-1-316L |
| 1.5" x 1.5" | 2.375 | SS22I-15I-1.5-304 | SS22I-15I-1.5-316L |
| 2" x 2" | 2.469 | SS22I-15I-2-304 | SS22I-15I-2-316L |
| 2.5" x 2.5" | 2.781 | SS22I-15I-2.5-304 | SS22I-15I-2.5-316L |
| 3" x 3" | 3.031 | SS22I-15I-3-304 | SS22I-15I-3-316L |
| 4" x 4" | 3.343 | SS22I-15I-4-304 | SS22I-15I-4-316L |




| SS13ILBV---Schedule 5 I-Line Bolted Clamp, 304 | | | | |
|---|---|---|---|---|
| Pipe (Size) | A | Weight | Part Number 304 | SPR @ 70° F * |
| 3" | 2.046 | 1.12 | SS13ILBV-3-304 | 350 |
| 4" | 2.578 | 1.42 | SS13ILBV-4-304 | 300 |
| 6" | 3.110 | 2.81 | SS13ILBV-6-304 | 150 |
| Note: 0.5"-2.5" use 1/2 size larger SS13MHM | | | | |




| SS14WIV--- *Schedule 5* Short-Weld Male I-Line Ferrule | | | | | | | |
|---|---|---|---|---|---|---|---|
| Tube OD (Size) | A | B | C | D | Part Number 304 | Part Number 316L | Weight |
| 1" | 0.945 | 2.000 | 1.185 | 1.315 | SS14WIV-1-304 | SS14WIV-1-316L | 0.20 |
| 1.5" | 1.024 | 2.648 | 1.770 | 1.900 | SS14WIV-1.5-304 | SS14WIV-1.5-316L | 0.30 |
| 2" | 1.142 | 3.317 | 2.245 | 2.375 | SS14WIV-2-304 | SS14WIV-2-316L | 0.60 |
| 2.5" | 1.220 | 3.868 | 2.709 | 2.875 | SS14WIV-2.5-304 | SS14WIV-2.5-316L | 0.80 |
| 3" | 1.317 | 4.303 | 3.334 | 3.500 | SS14WIV-3-304 | SS14WIV-3-316L | 1.50 |
| 4" | 1.348 | 5.302 | 4.334 | 4.500 | SS14WIV-4-304 | SS14WIV-4-316L | 1.90 |
| 6" | 1.005 | 6.904 | 6.407 | 6.625 | SS14WIV-6-304 | SS14WIV-6-316L | 1.90 |




| SS15WIV--- *Schedule 5 Pipe* Short-Weld Female I-Line Ferrule | | | | | | | |
|---|---|---|---|---|---|---|---|
| Tube OD (Size) | A | B | C | D | Part Number 304 | Part Number 316L | Weight |
| 1" | 1.315 | 1.185 | 2.000 | 0.945 | SS15WIV-1-304 | SS15WIV-1-316L | 0.20 |
| 1.5" | 1.900 | 1.770 | 2.648 | 1.024 | SS15WIV-1.5-304 | SS15WIV-1.5-316L | 0.30 |
| 2" | 2.375 | 2.245 | 3.317 | 1.142 | SS15WIV-2-304 | SS15WIV-2-316L | 0.60 |
| 2.5" | 2.875 | 2.709 | 3.868 | 1.220 | SS15WIV-2.5-304 | SS15WIV-2.5-316L | 0.80 |
| 3" | 3.500 | 3.334 | 4.303 | 1.317 | SS15WIV-3-304 | SS15WIV-3-316L | 1.50 |
| 4" | 4.500 | 4.334 | 5.302 | 1.348 | SS15WIV-4-304 | SS15WIV-4-316L | 1.90 |
| 6" | 6.625 | 6.407 | 6.904 | 1.005 | SS15WIV-6-304 | SS15WIV-6-316L | 1.90 |




| SS16AI-14IV-- Schedule 5 *Male I-Line End Cap* | | | | | |
|---|---|---|---|---|---|
| Tube OD (Size) | A | B | C | Part Number 304 | Part Number 316L |
| 1" | 2.000 | 1.756 | 0.500 | SS16AI-14IV-1-304 | SS16AI-14IV-1-316L |
| 1.5" | 2.648 | 2.244 | 0.585 | SS16AI-14IV-1.5-304 | SS16AI-14IV-1.5-316L |
| 2" | 3.317 | 2.756 | 0.750 | SS16AI-14IV-2-304 | SS16AI-14IV-2-316L |
| 2.5" | 3.868 | 3.316 | 0.750 | SS16AI-14IV-2.5-304 | SS16AI-14IV-2.5-316L |
| 3" | 4.882 | 4.316 | 0.750 | SS16AI-14IV-3-304 | SS16AI-14IV-3-316L |
| 4" | 5.582 | 5.316 | 0.750 | SS16AI-14IV-4-304 | SS16AI-14IV-4-316L |




| SS16AI-15IV-- Schedule 5 *Female I-Line End Cap* | | | | | |
|---|---|---|---|---|---|
| Tube OD (Size) | A | B | C | Part Number 304 | Part Number 316L |
| 1" | 2.000 | 1.756 | 0.500 | SS16AI-15IV-1-304 | SS16AI-15IV-1-316L |
| 1.5" | 2.648 | 2.244 | 0.585 | SS16AI-15IV-1.5-304 | SS16AI-15IV-1.5-316L |
| 2" | 3.317 | 2.756 | 0.750 | SS16AI-15IV-2-304 | SS16AI-15IV-2-316L |
| 2.5" | 3.868 | 3.316 | 0.750 | SS16AI-15IV-2.5-304 | SS16AI-15IV-2.5-316L |
| 3" | 4.882 | 4.316 | 0.750 | SS16AI-15IV-3-304 | SS16AI-15IV-3-316L |
| 4" | 5.582 | 5.316 | 0.750 | SS16AI-15IV-4-304 | SS16AI-15IV-4-316L |

**Sanitary Solutions offers the following I-Line types:**

SS2HI

SS2KI

SS2PI

SS7I

SS7AI

SS7BI

SS7EI

SS7HI

SS9I



SS23BI

SS28YI-15I

SS3114I-14I

SS3114I-15I

SS3115I-14I

SS3115I-15I

SS3214I-14I

SS3214I-15I

SS3215I-14I


SS3215I-15I

**www.sanitarysolutions.com**